

Bagoti

Architectural Outdoor & Commercial Lighting

2018
CATALOGUE



LED Highbay Light

UFO Series

UFO Series LED Highbay Light

Special mould

Generation 4




NEW

Features :

- Soft light with high light effect.
- Cold lighting source, no heat radiation, no harmful metal mercury, and environmental protection.
- Low power consumption, long lifespan, good stability, high reliability.
- Compared with the filament lamp of the same light effect, 80% reduction in energy consumption.
- Novel design, elegant and beautiful, with modern lighting features, easy to install and adjust.

Specification :

- Nicely ADC12 Die-Casting Aluminum alloy Housing
- Life Span: >50,000 Hours
- Operating Temperature: -20-50°C
- Storage Temperature: -40-60°C








Driver Brand: **MW**
MEAN WELL






LED Brand: **LUMILEDS**



Code	Power	Lumen	CCT	CRI	Weight	Beam Angle
BR-HBL80W-02(ID:G4)	80W	130Lm/w	3000K	>80	3.50	60°/90°/120°
BR-HBL80W-02(ID:G4)	80W	135Lm/w	4000K	>80	3.50	60°/90°/120°
BR-HBL80W-02(ID:G4)	80W	140Lm/w	5700K	>80	3.50	60°/90°/120°






Code	Power	Lumen	CCT	CRI	Weight	Beam Angle
BR-HBL100W-02(ID:G4)	100W	130Lm/w	3000K	>80	3.50	60°/90°/120°
BR-HBL100W-02(ID:G4)	100W	135Lm/w	4000K	>80	3.50	60°/90°/120°
BR-HBL100W-02(ID:G4)	100W	140Lm/w	5700K	>80	3.50	60°/90°/120°




UFO Series

LED Highbay Light


Code	Power	Lumen	CCT	CRI	Weight	Beam Angle
BR-HBL120W-02(ID:G4)	120W	130Lm/w	3000K	>80	3.50	60°/90°/120°
BR-HBL120W-02(ID:G4)	120W	135Lm/w	4000K	>80	3.50	60°/90°/120°
BR-HBL120W-02(ID:G4)	120W	140Lm/w	5700K	>80	3.50	60°/90°/120°



60°






90°




120°


Code	Power	Lumen	CCT	CRI	Weight	Beam Angle
BR-HBL150W-02(ID:G4)	150W	130Lm/w	3000K	>80	3.50	60°/90°/120°
BR-HBL150W-02(ID:G4)	150W	135Lm/w	4000K	>80	3.50	60°/90°/120°
BR-HBL150W-02(ID:G4)	150W	140Lm/w	5700K	>80	3.50	60°/90°/120°



60°






90°




120°


Code	Power	Lumen	CCT	CRI	Weight	Beam Angle
BR-HBL200W-02(ID:G4)	200W	130Lm/w	3000K	>80	5.50	60°/90°/120°
BR-HBL200W-02(ID:G4)	200W	135Lm/w	4000K	>80	5.50	60°/90°/120°
BR-HBL200W-02(ID:G4)	200W	140Lm/w	5700K	>80	5.50	60°/90°/120°



60°






90°




120°


Code	Power	Lumen	CCT	CRI	Weight	Beam Angle
BR-HBL240W-02(ID:G4)	240W	130Lm/w	3000K	>80	5.50	60°/90°/120°
BR-HBL240W-02(ID:G4)	240W	135Lm/w	4000K	>80	5.50	60°/90°/120°
BR-HBL240W-02(ID:G4)	240W	140Lm/w	5700K	>80	5.50	60°/90°/120°



60°



90°



120°

Bagoti

UFO Series LED Highbay Light

Model Options »

P1



P3



P5



P2



P4



P6



Accessories



Chain



Ceiling ring



Hook



Ceiling mounting hook



American Hook



IP65 Waterproof Connector



Radar Sensor



Reflector



PMMA Reflector



Bagoti



Bagoti

Architectural Outdoor & Commercial Lighting

Trilok Chand & Sons Pvt. Ltd.
5, Khatri Plaza, 1st Floor
New Rajender Nagar
New Delhi - 110060, India