

Bagoti

Architectural Outdoor & Commercial Lighting





Urban Light

Urban light

SUN SHINE SERIES



Special Mould
Generation 4

Features:

- The SUNSHINE SERIES luminaire combines efficiency, aesthetics and visual comfort.
- With timeliness elegance and its high performance photometry, this luminaire is a distinctive light tool.
- Decorative units from this range can be effectively used in many applications from residential streets to amenity areas.
- SUNSHINE SERIES offers a complete solution to light urban spaces with superior efficiency and a striking design.



Specifications:

- High strength, anti corrosion, die-cast aluminium body
- Tempered toughened glass except SUN DROP with vandal resistant polycarbonate heat formed protector.
- Available with a range of high performance optics giving excellent photometric results



Shanghai, China



Shanghai, China





Shanghai, China

Code	Power	Lumen	CCT	CRI
SUN LEG				
40W-80W	40W/60W/80W	3895lm/5885lm/7520lm	5500K/4000K/3000K	>80
SUN DROP				
35W-100W	35W/65W/100W	2619lm/4615lm/7862lm	5500K/4000K/3000K	>80
SUN BRIGHT				
40W-100W	40W/60W/100W	3200lm/5400lm/8000lm	5500K/4000K/3000K	>80
SUN RISE				
35W-100W	35W/65W/100W	2287lm/4832lm/7892lm	5500K/4000K/3000K	>80
SUN WIN				
35W-100W	35W/65W/100W	2287lm/4832lm/7892lm	5500K/4000K/3000K	>80
SUN ARM				
35W-100W	35W/65W/100W	2287lm/4832lm/7892lm	5500K/4000K/3000K	>80
SUN SET				
35W-100W	35W/65W/100W	2287lm/4832lm/7892lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k

SUN LEG






SUN DROP



SUN BRIGHT



SUN RISE






SUN WIN



SUN ARM



SUN SET



Urban light

CROWN SERIES

Special Mould

Generation 4



Features:

- The CROWN Collection is a range of luminaires that provide an integrated aesthetic for urban environments.
- The Post-top, Suspended and Wall Bracket are made of stainless steel for a clean, modern look.
- The CROWN column adds a distinctive architectural element to any streetspace or building site.



Specifications:


- The CROWN is made of die cast aluminium and also available in RTP (Reinforced Technical Polymer) which is vandal proof, shock proof and corrosion proof.
- Available in any RAL color on request (Customization as per its requirement)
- Available in wall bracket, suspended and post-top.



CROWN - N



CROWN - NII



Code	Power	Lumen	CCT	CRI
CROWN				
30W-60W	30W-60W	2400lm-5400lm	500K/4000K/3000K	>80

*Lumens calculated on 3000k



CROWN - P



CROWN - WB NII



CROWN - WB - C

CAST IRON COULMN WITH EMBELISHMENTS



CI-01



CI-02



CI-03



CI-04



CI-05



CI-06



CI-07



CI-08



CI-09



CI-10




CI-11

All our lighting columns have demonstrated its resistant qualities and durabilities for centuries. It has proved it's worth in the most severe and extreme climatic conditions.

All the cast iron/aluminium elements are treated using a painting process that optimises their anti-rust protection and gives them a very attractive finish with the final touch of teflon coating.




CAST IRON POLE BOTTOMS



CAST IRON BRACKETS


CWB - 1




CWB - 2




CWB - 3




CWB - 4




CWB - 5




CWB - 6




CWB - 7




CWB - 8




CWB - 9




CWB - 10



CWB - 11



CWB - 12



Urban light

PULCRA SERIES

Special Mould

Generation 4





Features:

- Fusion of ultra-modern design adding an aesthetic feature to the landscape.
- Sleek design using state of the art technology with high efficiency and energy saving design.
- PULCRA SERIES offers a complete solution to light urban spaces with superior efficiency and a striking design.
- Combination of asymmetrical and symmetrical optical system for a wide variety of landscaping requirements.
- Decorative sleek arm gives aesthetic to the environment.



Specifications:


- High strength, anti corrosion, die-cast aluminium body.
- Tempered toughened glass except PULCRA POST TOP- F and PULCRA LEG -F with vandal resistant polycarbonate heat formed protector.
- Available with a range of high performance optics giving excellent photometric results.




Code	Power	Lumen	CCT	CRI
PULCRA ADJUSTABLE				
30W-80W	30W/60W/80W	3000lm/6000lm/8000lm	5500K/4000K/3000K	>80
PULCRA POST TOP-F				
30W-60W	30W/60W	2700lm/5400lm	5500K/4000K/3000K	>80
PULCRA LEG				
30W-60W	30W/60W	3000lm/6000lm	5500K/4000K/3000K	>80
PULCRA LEG-F				
30W-60W	30W/60W	2700lm/5400lm	5500K/4000K/3000K	>80
PULCRA ARM				
30W-80W	30W/60W/80W	3000lm/6000lm/8000lm	5500K/4000K/3000K	>80
PULCRA H				
30W-80W	30W/60W/80W	3000lm/6000lm/8000lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k

PULCRA ADJUSTABLE





PULCRA POST TOP-F



PULCRA LEG




PULCRA LEG -F




Shanghai, China

PULCRA ARM



PULCRA H



Shanghai, China



Urban light

SERIE SERIES



SERIE-F



SERIE-FS



SERIE-T



SERIE-TS

Features:

- The SERIE Collection is a range of classic post top or suspended lantern with high performance street optic, ideal for historical urban areas.
- Precise light distribution ensures no direct upward light.
- Optional illuminated decorative top cap also available.
- Complementary 'Modern' lanterns available which allows visual consistency through a variety of urban zones.
- These classic designs are quite appropriate for contemporary urban environments and can also be used for lighting parks, playgrounds, lay-bays, car parks.




Specifications:

- The base is made of die-cast aluminium body.
- Available in any RAL color (Customized as per site requirement).
- Available in wall bracket, post-top and a suspended luminaire.

Code	Power	Lumen	CCT	CRI
SERIE				
30W-80W	30W-80W	3000lm-8000lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k







UNIWORLD GARDEN II



UNIWORLD GARDEN II

Urban light

PUNTO SERIES

Special Mould

Generation 4



Features:


- This elegant indirect cylindrical-conical lighting column is deflected by the top thick reflector.
- This deflection has the effect of distributing the light in an extremely soft and uniform way, effectively removing the glare.
- A sealed optical compartment is positioned on the lighting column made of die-cast aluminium / galvanised steel.
- Indirect lighting column is topped by a mirror finished parabolic reflector, also available in white finish.




Specifications:

- The top reflector is available in different sizes and shapes made out of aluminium finished in white/ faceted mirror reflector.
- Also available in mirror.
- Available from 3mtr - 5mtr.




PUNTO I



PUNTO II



PUNTO III



Spigot post top



Code	Power	Lumen	CCT	CRI
PUNTO				
PUNTO-S/I	30W-80W	2400lm-6400lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k



Urban light

BULLET SERIES

Special Mould
Generation 4



Features:


- Multi-functional architectural fixture.
- Fusion of ultra-modern design adding an aesthetic feature to the landscape.
- Choice of innovative bracket designs.
- Monochrome and RGBW program options according to customer requirements after a high degree of customisation.
- Ideal choice for outdoor building and landscape lighting.
- The BULLET Series symbolises an opening towards new paths in aesthetics while providing high photometric performance.

The BULLET range of luminaires combines 4 models-pole mounted, bollard, wall mounted and tree strap, available in different wattages with 3 sizes.



Specifications:

- The BULLET Series are made of high strength, safe, reliable die-cast aluminium.
- The transparent cover adopts high light transmittance toughened glass.
- Available in any RAL color (Customization as per site request)
- Light angle is from 5 degrees to 60 degrees with a hood to avoid glare.



Code	Power	Lumen	CCT	CRI	Beam Angle
BULLET-S					
09W-12W	09W-12W	720lm-960lm	3000K-5500K	>80	7°/15°/25°/ 40°/60°
BULLET-M					
24W-40W	24W-40W	2000lm-3200lm	3000K-5500K	>80	7°/15°/25°/ 40°/60°
BULLET-L					
60W-100W	60W/75W/100W	4800lm/6000lm/8000lm	3000K-5500K	>80	7°/15°/25°/ 40°/60°

*Lumens calculated on 3000k



5°



7°



15°



25°



40°



60°



BULLET - R (5 Mtr)



BULLET - S (7 Mtr) at Shanghai, China




BULLET - B (4 Mtr) at Shanghai, China




BULLET (FOR TREE STRAP)




BULLET- S




BULLET- M



BULLET- L





Height	
Pole M	4 mtr
Pole S	3 mtr
Pole L	6-8mtr
Pole B	1-2mtr



Urban light

IGLO SERIES

Special Mould

Generation 4



Features:

- Ultra compact LED floodlight dedicated to architectural illumination and light accentuation.
- IGLO SERIES is an impressive, highly efficient lighting concept for urban living environments.
- The versatility of this product family enables individualized design solutions to create functional and atmospheric lighting.
- The IGLO LED range of luminaires combines 4 models- pole mounted, bollard, wall mounted and spike light, available in different wattages with 5 sizes.



Specifications:

- Die- cast aluminium housing.
- Electrostatic powder painting- grey/black or any RAL color on request. (Customisation as per site request)
- Maintenance friendly.
- Also available with hood.



Shanghai, China




Shanghai, China

Code	Power	Lumen	CCT	CRI	Beam Angle
IGLO S					
10W-15W	10W-15W	110lm/W	3000K-5500K	>80	7°/15°/25°/ 40°/60°
IGLO M					
20W-30W	20W-30W	110lm/W	3000K-5500K	>80	7°/15°/25°/ 40°/60°
IGLO L					
40W-60W	40W-60W	110lm/W	3000K-5500K	>80	7°/15°/25°/ 40°/60°
IGLO XL					
80W-100W	80W-100W	110lm/W	3000K-5500K	>80	7°/15°/25°/ 40°/60°
IGLO XXL					
120W-150W	120W-150W	110lm/W	3000K-5500K	>80	7°/15°/25°/ 40°/60°

*Lumens calculated on 3000k




IGLO
TL-03 (4 Mtr)



IGLO
TL-03A (7 Mtr)

IGLO
TL-03A (5 Mtr)




IGLO S




IGLO M





IGLO L




*Wall Mounted





*Spike/shrub light




*Wall Mounted




*Spike/shrub light



*Wall Mounted




*Spike/shrub light




IGLO XL



IGLO XXL



*Wall Mounted



*Wall Mounted





Urban light

VICTORIA

Special Mould

Generation 4



Features:

- The VICTORIA lantern is offered as standard post top mounting but can be supplied to meet the specific or additional requirements of a particular project.
- Four-faced design propulses classical style into the 21st century.
- Decorative units from this range can be effectively used in many applications from residential streets to amenity areas.
- VICTORIA offers a complete solution to light urban spaces with superior efficiency and a striking design.
- Available in two sizes, designed for on-site replacement of the LED photometric engine.
- Wall and suspended mounted also available.



Specifications:

- High strength, anti corrosion, die-cast aluminium body.
- Vandal resistant single piece polycarbonate heat formed protector.
- Available with a range of high performance optics giving excellent photometric results.



VICTORIA at Fagu, Shimla






VICTORIA at DLF Golf and Country Club




VICTORIA at DLF OMR, Chennai

Code	Power	Lumen	CCT	CRI
VICTORIA				
40W-100W	40W/60W/100W	3600lm/5400lm/9000lm	3000K/4000K/5500K	>80

*Lumens calculated on 3000k



Mounting Base



Other mountain configuration on request



TL09C - 3.5 Mtr

Urban light

ROYAL

Special Mould

Generation 4



Features:

- The ROYAL lantern is offered as standard post top mounting but can be supplied to meet the specific or additional requirements of a particular project.
- Decorative units from this range can be effectively used in many applications from residential streets to amenity areas.
- ROYAL offers a complete solution to light urban spaces with superior efficiency and a striking design.
- Easy replacement of photometric engine and electronic assembly.
- Wall mounted is also available.



Specifications:

- High strength, anti-corrosion, die-cast aluminium body.
- Vandal resistant single piece polycarbonate heat formed protector.
- Available with a range of high performance optics giving excellent photometric results.



ROYAL suspended




Code	Power	Lumen	CCT	CRI
ROYAL POST-OP				
40W	40W	3600lm	5500K/4000K/3000K	>80
ROYAL SUSPENDED				
60W	60W	5400lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k



ROYAL Post-op
FYZT-P-6004



*Available in three sizes



Urban light

PATIO

Special Mould
Generation 4



Features:

- The PATIO lantern is offered as standard post top mounting but can be supplied to meet the specific or additional requirements of a particular project.
- Traditional look combined with cutting edge technology.
- Decorative units from this range can be effectively used in many applications from residential streets to amenity areas.
- PATIO offers a complete solution to light urban spaces with superior efficiency and a striking design.
- Available in two sizes, with a different range LED photometric engines.
- Wall and suspended mounted also available.



Specifications:

- High strength, anti corrosion, die-cast aluminium body
- Vandal resistant single piece polycarbonate heat formed protector
- Available with a range of high performance optics giving excellent photometric results.



LED MODULE



LED MODULE

Code	Power	Lumen	CCT	CRI
PATIO				
40W-100W	40W/60W/80W	3800lm/5400lm/9000lm	3000K/4000K/5500K	>80




*Lumens calculated on 3000k



PATIO



PATIO-V



PATIO at DLF Capital Greens, Delhi



Urban light

HAMMER

Special Mould

Generation 4



Features:

- The HAMMER luminaire combines efficiency, aesthetics and visual comfort.
- With timeliness elegance and its high performance photometry, this luminaire is a distinctive light tool.
- The compactness is coupled with careful design that harmoniously integrates both functionality and finish.
- applications from residential streets to amenity areas.
- HAMMER offers a complete solution to light urban spaces with superior efficiency and a striking design.



Specifications:

- High strength, anti corrosion, die-cast aluminium body.
- Vandal resistant single piece polycarbonate heat formed protector.
- Available with a range of high performance optics giving excellent photometric results.




Code	Power	Lumen	CCT	CRI
HAMMER				
40W-60W	40W/50W/60W	360lm/450lm/540lm	300K/4000K/5500K	>80

*Lumens calculated on 3000k



DLF Sky Court



DLF Sky Court



DLF Sky Court



DLF Sky Court



DLF Sky Court

Urban light

HAT

Special Mould

Generation 4



Features:

- A classic of the victorian era, the HAT LED is notable for its versatility.
- This luminaire is available in two sizes, for aesthetic coherence.
- This luminaire's refined design blends perfectly into any urban architectural environment.
- A versatile best seller converted to LED technology.




Specifications:

- RTP (Reinforced Technical Polymer) Fibre for longer life, also available in aluminium.
- Diffuser in polycarbonate.
- The remarkable efficiency and photometric diversity offered by the HAT range allows for installations at heights of between 3 to 12 mtr.



Code	Power	Lumen	CCT	CRI
HAT				
70W-150W	50W-100W	5000lm-15000lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k





Dlf Crset, Gurgaon



Dlf Crest, Gurgaon



Dlf Garden City



Dlf Skycourt, Gurgaon



Amusement Park, Rohini



Amusement Park, Rohini



DLF REGAL ; HAT & SERIE SERIES



Dlf Garden City, Manesar



DLF SUMMIT



Dlf Garden City, Manesar

Urban light

VERTU

Special Mould

Generation 4



Features:

- Modern, sleek design using state of the art technology with high efficiency and energy saving design.
- VERTU offers a complete solution to light urban spaces with superior efficiency and a striking design.
- Combined asymmetrical optical system for a wide variety of landscaping requirements.
- Decorative sleek arm gives aesthetic to the environment.



Specifications:


- High strength, anti corrosion, die-cast aluminium body.
- Vandal resistant single piece polycarbonate heat formed protector.
- Available with a range of high performance optics giving excellent photometric results.



Shanghai, China

Code	Power	Lumen	CCT	CRI
VERTU				
50W-80W	50W-80W	4500lm/7200lm	300K/4000K/5500K	>80

*Lumens calculated on 3000k



Urban light

CLIMA TORCH



Features:

- The CT LED range of luminaires combines four models- CLIMA post-top, CLIMA bollard, CLIMA wall bracket and TORCH.
- With its novel design, the CLIMA post top is made out of aluminium as well the bollard and wall bracket is made of stainless steel to satisfy the multiple needs of the city.
- Whether these are for lighting, providing a lively atmosphere or for signs for urban centre, the CLIMA range needs these different application requirements while displaying the aesthetics affinity of the product.
- The TORCH lighting column is made from galvanised steel, available from 2.5mtr-5mtr.
- These luminous columns serve both as public lighting as well as urban city paths.
- Wall units and luminaire's are the complementary tools of this range and make it possible to bring together a number of urban lighting functionalities with aesthetic.



Specifications:

- The TORCH luminous lighting column comprises of a cylinder and a light conductor diffuser made of polycarbonate.
- Available in any RAL color as per requirement(customisation as per site requirement).




Shanghai, China




Shanghai, China

Code	Power	Lumen	CCT	CRI
CILMA				
30W-60W	30W-60W	2400lm-5400lm	5500K/4000K/3000K	>80
TORCH				
30W-50W	30W-50W	2400lm-4500lm	5500K/4000K/3000K	>80


*Lumens calculated on 3000k




TORCH
FY-10



CLIMA
FYZT-8021



CLIMA WALL
BRACKET
FYZT-8021-WB



CLIMA BOLLARD
FYZT-8021-B







Urban light

ANTLER

Special Mould

Generation 4



Features:

- The ANTLER series offers a complete solution to light urban spaces with superior efficiency and a striking design.
- It is particularly designed for stylish, modern lighting.
- This concept guarantees glare-free ambient lighting.
- Combined optic lens for a wide variety of landscaping requirements.



Specifications:



- High strength, dust proof, water proof, anti-corrosion, die cast aluminium body.
- High lumens LED chip, high efficiency driver power supply.
- Available in any RAL color on request. (Customization as per site request)



Shanghai, China

Code	Power	Lumen	CCT
ANTLER			
30W-100W	30W/60W/80/100W	2700lm/5400lm/7200lm/9000lm	5500K/4000K/3000K

*Lumens calculated on 3000k





Shanghai, China



Shanghai, China



Shanghai, China



Shanghai, China

Urban light

DRIFT

Special Mould

Generation 4



Features:

- The clear luminaire adapts to various urban landscapes such as parks, squares, gardens and residential areas.
 - It requires limited maintenance.
 - The classical shape is now refreshed to provide an aesthetic continuity.
 - This concept guarantees a glare-free lighting ambiance.
- This luminaire's refined design blends perfectly into any urban architectural environment.



Specifications:


- High strength, anti corrosion, die cast aluminium body.
- Available with a range of high performance optics giving excellent photometric results.
- Suggested mounting height 3-5mtr.
- Diffuser in polycarbonate
- Available in any RAL color on request (Customization as per site requirement)



Shanghai, China

Code	Power	Lumen	CCT	CRI
DRIFT				
30W-90W	30W/50W/90W	2700lm/4500lm/8100lm	4000K/5000K/6000K	>80

*Lumens calculated on 3000k



Shanghai, China



Shanghai, China



Code	Power	Lumen	CCT	CRI
CRIS				
30W-90W	30W/50W/90W	2700lm/4500lm/8100lm	4000K/5000K/6000K	>80

*Lumens calculated on 3000k




Shanghai, China




Shanghai, China

CRIS D



CRIS S



Urban light

CRIS

Special Mould

Generation 4



Features:

- The clear luminaire adapts to various urban landscapes.
- Elegant and comfortable solution for creating a warm ambience.
- Cris is available in wide range of versions to suit the environment.
- Cris offers photometric efficiency with visual comfort and creation of ambience due to the high power LED's.



Specifications:

- High strength, anti corrosion, die cast aluminium body.
- Available with a range of high performance optics giving excellent photometric results.
- Suggested mounting feature 3-5mtr.
- Available in any RAL color on request(Customization as per site requirement)



Shanghai, China

Urban light

HOOD

Special Mould
Generation 4




Features:

- HOOD offers photometric efficiency with visual comfort and creation of ambiance due to the use of high power LEDs.
- High pressure die-casting aluminium housing.
- External electro-static powder spraying.
- Heat proof silicone rubber gasket.



Specifications:

- HOOD has 5mm thickness.
- Available in any RAL color on request(customisation available as per site requirement)
- High strength, anti corrosion, die-cast aluminium body.



Shanghai, China

Code	Power	Lumen	CCT	CRI
HOOD				
30W-60W	30W/40W/50W/60W	2100lm/2800lm/3500lm/4200lm	2700K-6500K	>80



*Lumens calculated on 3000k



Shanghai, China



Shanghai, China



Urban light

SCOTT

Special Mould

Generation 4



Features:

- Modern perfect design, high performance, and energy saving.
 - The SCOTT luminaire combines aesthetics and visual comfort.
 - SCOTT offers a complete solution to light urban spaces with superior efficiency and a striking design.
 - This concept guarantees glare-free ambiance lighting.
- The SCOTT range of luminaires combines 2 models: SCOTT post top and SCOTT bollard.



Specifications:



- High strength, anti-corrosion, die cast aluminium body.
- High lumens LED chip, high efficiency driver power supply.
- Available in any RAL color on request. (Customization as per site request)



Shanghai, China

Code	Power	Lumen	CCT	CRI
SCOTT				
30W-60W	30W/40W/60W	2700lm/3600lm/5400lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k



Urban light

VOLT

Special Mould

Generation 4



Features:

- The VOLT range of luminaire combines 2 models: VOLT post top and VOLT bollard.
- The VOLT offers a complete solution to light urban spaces with superior efficiency and a striking design.
- It is particularly designed for stylish, modern lighting.
- This concept guarantees glare-free ambiance lighting. Combined optic lens for a wide variety of landscaping requirements.




Specifications:

- High strength, anti-corrosion, die cast aluminium body.
- High lumens LED chip, high efficiency driver power supply.
- Available in any RAL color on request. (Customization as per site request)



Code	Power	Lumen	CCT	CRI
VOLT				
30W-60W	30W/40W/60W	2700lm/3600lm/5400lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k




Urban light

CUADRO COLUMN

Special Mould

Generation 4



Features:

- CUADRO COLUMN is a contemporary, elegant luminaire particularly suited to urban landscapes.
- It is specially designed for parks, squares and pedestrian areas.
- High efficient integrated heat radiation design.
- The CUADRO COLUMN range of luminaire combines 3 models: CUADRO lighting column, CUADRO wall bracket and CUADRO bollard.
- CUADRO COLUMN can be installed on single, double or wall brackets.



Specifications:

- High strength galvanized steel and also available in aluminium section.
- Available with multiple range of high performance optic giving excellent photometric results.
- Available in RAL color on request. (Customisation as per site request)
- Available from 1 mtr - 8mtr height.



KARMA LAKE (CLUB) MANESAR



KARMA LAKE (CLUB) MANESAR

Code	Power	Lumen	CCT	CRI
CUADRO COLUMN				
40W-80W	40W/60W/80W	3600lm/5400lm/7200lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k



M3M GOLF ESTATE



M3M GOLF ESTATE



DLF CREST, GURGAON



M3M GOLF ESTATE



M3M GOLF ESTATE



KARMA LAKE (CLUB) MANESAR




Urban light


A




B




C




D





E



F















G



Available from 1.5 mtr - 8mtr.
Single Arm: 500m / 1000m
Double Arm: 2100mm







Architectural Outdoor & Commercial Lighting

Trilok Chand and Sons Pvt. Ltd.
5, Khatri Plaza, 1st Floor
New Rajender Nagar
New Delhi - 110060, India
www.bagotilighting.com