

Bagoti

Architectural Outdoor & Commercial Lighting





Street Light

Street light

APRICA

Special Mould

Generation 4



Features :

- High quality finishing and aesthetic design of the APRICA compliments and enhances any landscape.
- This range was developed to incorporate two different sizes of street light luminaire, a wall bracket and a rear bracket versions so that streets, side-streets and large pavements can be lit using same street light design.
- Non-clip open design for easy operation and maintenance.
- Combined optic lense for a wide variety of road requirements.



Specifications :

- High strength, anti corrosion, die-cast aluminium body
- Durable electrostatic powder painting for harsh outdoor applications.
- Maintainance friendly.





Street light

Code	Power	Lumen	CCT	CRI
APRICA				
20W-80W	20W/40W/60W/80W	2000lm-8000lm	5500K/4000K/3000K	>80
APRICA L				
80W-180W	80W/100W/150W/180W	8000lm-18000lm	5500K/4000K/3000K	>80



*Lumens calculated on 3000k



APRICA




APRICA L






Application:
Walkway/Path/Side of the road/on e-way street



Application:
Highway/The Drive Way/Area/Paking Lot



Application:
Urban/Street Road/Two Drive Way



Application:
Square/Parking/Area



Street light

SPACE NEW

Special Mould

Generation 4



Features :

- A distinctive LED streetlight luminaire characterised by efficiency and innovative design.
- Designed as the ultimate multi-purpose streetlight luminaire, the ABORE is fully adaptable and can be equipped with combined optic lens for a wide variety of road requirements.
- The ABORE luminaire has uniquely designed cooling fins to keep the drivers and LEDs cool ensuring long life and high LED lumen maintainance.
- The ABORE luminaire features a simple and effective mounting system, allowing side-entry or post-top mounting.
- This range was developed to incorporate three different sizes of streetlight luminaire



Specifications :


- High strength, anti corrosion, die-cast aluminium body
- Durable electrostatic powder painting for harsh outdoor applications
- Maintainance friendly.




Code	Power	Lumen	CCT	CRI
SPACE NEW S				
40W-60W	40W/60W	4000lm-6000lm	5500K/4000K/3000K	>80
SPACE NEW M				
80W-100W	80W-100W	8000lm-10000lm	5500K/4000K/3000K	>80
SPACE NEW L				
120-180W	120W/150W/180W	12000lm-18000lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k

SPACE NEW -S



SPACE NEW -L



Street light

ECO SERIES

Special Mould
Generation 4



Features :

- Streamline design using state of the art technology with high efficiency and energy saving design.
- The ECO SERIES features a simple and effective mounting system, allowing side-entry or post-top mounting.
The ideal instrument for urban environment
- This range was developed to incorporate three different sizes of streetlight luminaire.
- Designed as the ultimate multi-purpose streetlight luminaire, the ECO SERIES fully adaptable and can be equipped with combined optic lens for a wide variety of road requirements.



Specifications :


- High strength, anti corrosion, die-cast aluminium body.
- Durable electrostatic powder painting for harsh outdoor applications.
- Maintenance friendly.



Code	Power	Lumen	CCT	CRI
ECO- S				
20W-50W	20W/40W/50W	2000lm-5000lm	5500K/4000K/3000K	>80
ECO- M				
60W-100W	60W/80W/100W	6000lm-10000lm	5500K/4000K/3000K	>80
ECO- L				
120-210W	120W/150W/180W/210W	12000lm-21000lm	5500K/4000K/3000K	>80


*Lumens calculated on 3000k

ECO -S




	Dimensions(mm)				
ECO	A1	B1	C1	D1	E1
	Ø48	90	92	473	190
ECO Mid	Ø48	90	112	631	295
	Ø60	90	119	663	295
ECO Maxi	Ø48	90	111	740	321
	Ø60	90	117	772	321

ECO -M



	Dimensions(mm)				
ECO	A3	B3	C3	D3	E3
	Ø48	90	181	459	190
	Ø60	90	181	465	190
ECO Mid	Ø76	135	231	475	190
	Ø48	90	203	617	295
	Ø60	90	203	623	295
ECO Maxi	Ø76	135	253	633	295
	Ø48	90	200	726	321
	Ø60	90	200	732	321
ECO Maxi	Ø76	135	250	742	321

ECO -L



	Dimensions(mm)				
ECO	A2	B2	C2	D2	E2
	Ø48	90	92	555	190
	Ø60	90	97	555	190
ECO Mid	Ø76	135	107	605	190
	Ø48	90	112	713	295
	Ø60	90	119	713	295
ECO Maxi	Ø76	135	129	763	295
	Ø48	90	110	821	321
	Ø60	90	115	821	321
ECO Maxi	Ø76	135	125	872	321



Street light

FUTURE SERIES

Special Mould
Generation 4



Features :

- Streamline design using state of the art technology with high efficiency and energy saving design.
- This range was developed to incorporate three different sizes of streetlight luminaire with the lumen package scalable upto 32000lm and with numerous lighting distributions.
- Designed as the ultimate multi-purpose streetlight luminaire, the FUTURE SERIES is fully adaptable and can be equipped with combined optic lens for a wide variety of road and urban requirements.



Specifications :

- High strength, anti corrosion, die-cast aluminium body.
- Durable electrostatic powder painting for harsh outdoor applications.
- Maintenance friendly.



Code	Power	Lumen	CCT	CRI
FUTURE - S				
20W-80W	20W-80W	2000lm-8000lm	5500K/4000K/3000K	>80
FUTURE - M				
90W-170W	90W-170W	9000lm-17000lm	5500K/4000K/3000K	>80
FUTURE - L				
200-300W	200W-300W	20000lm-30000lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k




FUTURE -S




FUTURE -M



FUTURE -L



Power-off protection



Surge protection

Street light

CURVE SERIES

Special Mould
Generation 4



Features :

- Streamline design using state of the art technology with high efficiency and energy saving design.
- The CURVE range lumen package is scalable upto 25000lm and with numerous lighting distributions.
- Designed as the ultimate multi-purpose streetlight luminaire, the CURVE SERIES is fully adaptable and can be equipped with combined optic lens for a wide variety of road and urban requirements.
- The CURVE SERIES features a simple and effective mounting system, allowing side-entry or post-top mounting.
- This range was developed to incorporate three different sizes of streetlight luminaire with a wall bracket and a rear bracket version so that streets, side-streets and large pavements can be lit using same streetlight design.



Specifications :


- High strength, anti corrosion, die-cast aluminium body.
- Durable electrostatic powder painting for harsh outdoor applications.
- Maintainance friendly.




Code	Power	Lumen	CCT	CRI
CURVE				
40W-80W	40W/60W/80W	4000lm-8000lm	5500K/4000K/3000K	>80
CURVE L				
80W-180W	80W/100W/150W/180W	8000lm-18000lm	5500K/4000K/3000K	>80
CURVE I				
40W-240W	40W/80W/120W/150W/180W/240W	4000lm-24000lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k


CURVE



CURVE L



CURVE I



Street light

SHUTTLE SERIES

Special Mould

Generation 4



Features :

- The SHUTTLE SERIES ensemble was specially developed for urban lighting.
- Can be used in large avenues to narrow streets, the various configurations provide aesthetic distinctive identity for the city landscape.
- The SHUTTLE SERIES features a simple and effective mounting system, allowing side-entry or post-top mounting.
- The multiplicity of lighting column heights and luminaire sizes provide this range with a large palette of urban applications.
- The SHUTTLE SERIES results in a column with an assertive design that blends into any contemporary urban environment.
- The multiplicity of lighting column heights and luminaire sizes provide this range with a large palette of urban applications.



Specifications :


- High strength, anti corrosion, die-cast aluminium body
- Durable electrostatic powder painting for harsh outdoor applications
- Maintenance friendly.




Code	Power	Lumen	CCT	CRI
SHUTTLE				
20W-160W	20W-160W	2000lm-16000lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k


SHUTTLE




A2	B2	C2	D2
Ø48	90	636	215
Ø60	86	636	215
Ø76	135	636	265




A1	B1	C1	D1
Ø48	90	725	120
Ø60	86	725	127
Ø76	135	775	137




SHUTTLE H



SHUTTLE B





SHUTTLE V



Street light

FALCON

Special Mould

Generation 4




Features :

- The FALCON LED streetlight luminaire combines efficiency aesthetics and visual comfort with it's elegance and it's high performane photometry.
- This streetlight luminaire is a distinctive tool to light urban centres, residential streets and road lighting.
- It offers towns and cities the ideal tool to improve lighting levels
- Composed of high-quality materials, the FALCON streetlight is built to last using state-of- the- art technology.
- This range was developed to incorporate three different sizes of streetlight luminaire
- The FALCON features a simple and effective mounting system, allowing side-entry or post-top mounting.




Specifications :


- High strength, anti corrosion, die-cast aluminium body
- Electrostatic powder painting, for harsh outdoor applications
- Maintainance friendly.




TYPE1




TYPE2



TYPE3



TYPE4





TYPE5

Code	Power	Lumen	CCT	CRI
FALCON - S				
40W-80W	40W-80W	4000lm-8000lm	5500K/4000K/3000K	>80
FALCON - M				
90W-150W	90W-150W	9000lm-15000lm	5500K/4000K/3000K	>80
FALCON - L				
200-160W	200W-160W	2000lm-16000lm	5500K/4000K/3000K	>80


*Lumens calculated on 3000k




FALCON - L



FALCON - S



FALCON - M



Street light

DROP

Special Mould
Generation 4




Features :

- The DROP LED streetlight luminaire combines efficiency aesthetics and visual comfort with it's elegance and it's high performane photometry.
- This streetlight luminaire is a distinctive tool to light urban centres, residential streets and road lighting.
- It offers towns and cities the ideal tool to improve lighting levels
- Composed of high-quality materials, the DROP streetlight is built to last using state-of- the- art technology.
- This range was developed to incorporate three different sizes of streetlight luminaire
- The DROP features a simple and effective mounting system, allowing side-entry or post-top mounting.



Specifications :




- High strength, anti corrosion, die-cast aluminium body.
- Electrostatic powder painting for harsh outdoor applications.
- Maintenance friendly.



Code	Power	Lumen	CCT	CRI
DROP				
50W-160W	50W-160W	5000lm-16000lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k




DROP - S



Time



10s - 8min

DROP - M



Sens

0 - 12M



Street light

ABORE

Special Mould

Generation 4



Features :

- ABORE range allows multiple combinations of brackets on the lighting column.
- The circular design of ABORE streetlight luminaire fits perfectly in any urban environment whether traditional or contemporary.
- The multiplicity of lighting column heights and luminaire sizes provide this range with a large palette of urban applications.
- This range was developed to incorporate three different sizes of street light luminaire with a wall bracket and a rear bracket version so that streets, side-streets and large pavements can be lit using same street light design.



Specifications :

- High strength, anti corrosion, die-cast aluminium body.
- Electrostatic powder painting for harsh outdoor applications.
- Maintainance friendly.



ABORE at Karmalake Lands, Sector-80 (Gurgaon)



ABORE at DLF South Court Mall, Saket (Delhi)



KARMA LAKELANDS, MANESAR (GURGAON)



KARMA LAKELANDS, MANESAR (GURGAON)



DLF THE SOUTH COURT SAKET MALL (DELHI) KARMA LAKELANDS, MANESAR (GURGAON)




UNITECH UNI WORLD RESORT (GURGAON)

Street light

Code	Power	Lumen	CCT	CRI
SPACE				
60W-150W	60W-150W	6000lm-15000lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k



	ABORE-S	ABORE-M	ABORE-L
Ø	450 mm	550 mm	615 mm
H	60 mm	60 mm	70 mm



Street light

SPACE

Special Mould

Generation 4



Features :

- The IRON streetlight luminaire is a groundbreaking model for compactness and elegance.
- A distinctive LED streetlight luminaire characterised by efficiency and innovative design.
- Designed as the ultimate multi-purpose streetlight luminaire, the IRON is fully adaptable and can be equipped with combined optic lens for a wide variety of road requirements.
- IRON streetlight luminaire fits in perfectly in any urban environment, whether traditional or contemporary.
- This range was developed to incorporate two different sizes of streetlight luminaire with a wall bracket and a rear bracket version so that streets, side-streets and large pavements can be lit using same streetlight design.





Specifications :

- High strength, anti corrosion, die-cast aluminium body.
- Electrostatic powder painting, for harsh outdoor applications.
- Maintenance friendly.

Street light

Code	Power	Lumen	CCT	CRI
ABORE				
60W-150W	60W-150W	6000lm-15000lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k



	SPACE-S	SPACE-M
L	715mm	927mm
H	125mm	165mm
W	245mm	324mm



IRON Streetlight at DLF ALAMEDA Township, (Gurgaon in 2011)

Street light

CIRCULAR SERIES

Special Mould

Generation 4



Features :

- The CIRCULAR SERIES ensemble was specially developed for urban lighting.
- Can be used in large avenues to narrow streets, the various configurations provide aesthetic distinctive identity for the city landscape.
- The CIRCULAR SERIES features a simple and effective mounting system, allowing side-entry or post-top mounting.
- The multiplicity of lighting column heights and luminaire sizes provide this range with a large palette of urban applications.
- The CIRCULAR SERIES results in a column with an assertive design that blends into any contemporary urban environment.
- The multiplicity of lighting column heights and luminaire sizes provide this range with a large palette of urban applications.



Specifications :

- High strength, anti corrosion, die-cast aluminium body
- Durable electrostatic powder painting for harsh outdoor applications
- Maintenance friendly.




Code	Power	Lumen	CCT	CRI
CIRCULAR SERIES				
40W-100W	40W/60W/100W	6000lm-10000lm	5500K/4000K/3000K	>80


*Lumens calculated on 3000k




CIRCULAR - S




CIRCULAR - T



CIRCULAR - M



CIRCULAR - L



Street light

SHOE

Special Mould

Generation 4



Features :

- A distinctive LED luminaire characterised by efficiency and innovative design.
- The SHOE streetlight luminaire designed as the ultimate multi-purpose is fully adaptable and can be equipped with combined optic lens for a wide variety of road requirements.
- SHOE offers all the advantages of LED lighting, without high cost associated with LEDs.
- The SHOE features a simple and effective mounting system, allowing side-entry or post-top mounting.
- This range was developed to incorporate two different sizes of streetlight luminaire with a wall bracket and a rear bracket version so that streets, side-streets and large pavements can be lit using same streetlight design.





Specifications :

- High strength, anti corrosion, die-cast aluminium body
- Electrostatic powder painting, for harsh outdoor applications.
- Maintenance friendly.



Street light

Code	Power	Lumen	CCT	CRI
SHOE				
20W-120W	20W/40W/60W/100W/120W	2000lm-12000lm	5500K/4000K/3000K	>80



*Lumens calculated on 3000k



A



B



C



Street light

QUE SERIES

Special Mould
Generation 4



Features :

- The QUE SERIES is a lighting solution for a convivial ambiance.
- This elegant streetlight luminaire ensures a distinctive presence in the public space, both by day and by night.
- The QUE SERIES features a simple and effective mounting system, allowing side-entry or post-top mounting.
- This streetlight luminaire is designed as the ultimate multi-purpose and is fully adaptable and can be equipped with combined optic lens for a wide variety of road requirements.
- This range was developed to incorporate three different sizes of streetlight luminaire with a wall bracket and a rear bracket version so that streets, side-streets and large pavements can be lit using same streetlight design.




Specifications :

- High strength, anti corrosion, die-cast aluminium body
- Electrostatic powder painting, for harsh outdoor applications.
- Maintenance friendly.


Code	Power	Lumen	CCT	CRI
QUE				
30W-60W	30W/40W/60W	3600lm/4800lm/7200lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k


QUE - S



QUE - M



QUE - L



Street light

SEAL

Special Mould
Generation 4



Features :

- SEAL luminaire is ideally suited to lighting broad avenues, boulevards or squares.
- The SEAL ensemble is available in the form of lighting columns with single, double, triple brackets or with a rear bracket.
- Different lighting columns and heights are available.
- The SEAL luminaire is inspired by a kayak boat and is available in two sizes.



Specifications :





- Housing of the fixture is made of re-inforced technical polymer (RTP) making the luminaire vandal proof, shock proof and corrosion proof.
- SEAL comes with an independent and removable gear tray for easy maintainance.
- The cylindrical-conical lighting column is either made of galvanised steel or thermo-coated aluminium.
- Any RAL color is available on request.



UNITECH NALLAMBAKM (CHENNAI)

Code	Power	Lumen	CCT	CRI
SEAL S				
40W-80W	40W/60W/80W	4500lm-7200lm	5500K/4000K/3000K	>80
SEAL L				
100W-180W	100W/120W/150W/180W	9000lm-162000lm	5500K/4000K/3000K	>80

*Lumens calculated on 3000k





UNITECH NALLAMBAKM (CHENNAI)



UNITECH NALLAMBAKM (CHENNAI)



UNITECH NALLAMBAKM (CHENNAI)




UNITECH NALLAMBAKM (CHENNAI)




UNITECH NALLAMBAKM (CHENNAI)


POLE A




POLE B




POLE C




POLE D



POLE E



POLE F





Architectural Outdoor & Commercial Lighting

Trilok Chand and Sons Pvt. Ltd.
5, Khatri Plaza, 1st Floor
New Rajender Nagar
New Delhi - 110060, India
www.bagotilighting.com